

Leaf Lamp Series

Leaf Lamp Link Tree S Manual

LL307-EN-V1



GREEN
FURNITURE
CONCEPT





Index

Modules	3
Recycling of parts	4
Parts - Leaf Lamp Link Tree S	5
Assembly Instructions - Leaf Lamp Link Tree S	6-7

Leaf Lamp Link Tree S


Leaf Lamp Link Tree S has a crown of 1 cluster with a total diameter of 1300 mm.






Steel parts

All metal parts such as the trunk and foot should be recycled as steel.



Wood parts

Wooden parts such as table tops and dowels should be separated and recycled as wood.













Textile parts

All felt leaves should be removed and recycled as textile waste.









Electrical components


All electrical components such as cables and sockets should be separated and recycled as electronic waste.

 <p>Leaf Lamp Metal Tree Trunk Small LLMT_T_S x1</p>	 <p>Leaf Lamp Metal Tree Cluster 315 + 75 LLMT_C315 x1</p>	 <p>Leaf Lamp Metal Tree Base for Bolting Small Trunk LLMT_B_04 x1</p>
 <p>Leaf Lamp Link Tree Base for Bolting BP00111 x1</p>	 <p>Grommet 11,1x6,4x9,5 SP095 x1</p>	 <p>Countersunk Hexagon M8x50 SP078 x4</p>
 <p>Cable Tie L400 SP075 x1</p>	 <p>Countersunk Taptite Bolt Torx M5x8 SP003 x1</p>	 <p>Cord Relief SP090 x1</p>
 <p>Countersunk Wooden Screw Star 3x12 SP058 x1</p>		

Assembly Instructions



7



8

NOTE:

If the external flexible cable or cord of the luminaire is damaged, it should be exclusively replaced by the manufacturer or his service agent or a similar qualified person, in order to avoid a hazard.