

POD PHONE

POD PHONE is a spacious, soundproof phone booth and workspace for one person. Class A acoustic performance provides privacy and helps reduce distractions in open-plan environments.


TECHNICAL INFORMATION

AIR FLOW	Fully independent, adjustable and automated ventilation controlled by motion sensor. Air flow 30 l/s.
LIGHTING	Fully automated and dimmable lights controlled by motion sensor. LED light on the ceiling and 2 x face lights on the back wall, optimized for video calls.
TABLE	Height-adjustable table with a gass spring.
WHEELS	Wheels included.
SOCKET	Power socket on the back wall.
OCCUPANCY LIGHT	Occupancy light included.
POWER CONNECTION	Electricity connection from the ceiling or floor. The length of the power cord is 5 m.

MEASUREMENTS

EXTERNAL DIMENSIONS	W1000 x D1500 x H2220 mm
INNER DIMENSIONS	W800 x D1110 x H2005 mm
DOOR	8 x 21
TABLE	W750 x D300 x H660-1060 mm
PACKAGE DIMENSIONS	W800 x D2200 x H1350 mm
WEIGHT	480 kg 320 kg/m2

MEASUREMENTS



MATERIAL DESCRIPTION

EXTERIOR	Melamine or veneered frame.
INTERIOR	Acoustic panel on the ceiling and two walls. Floor coated with carpet.
DOOR	Painted MDF, oak or glass door. Melamine or oak door side panels. Door handle with satin finished stainless steel.
WINDOW	Laminated acoustic safety glass window 10 mm. Glass window includes the INTO stripe window taping.
TABLE	Height-adjustable MDF table with water-based paint.

ADD-ON FEATURES

POD PANEL

POD PANEL is an acoustic-friendly add-on piece for POD rooms. It can be used as a surface to attach notes, plans, and other sketches. Panels attaches easily to the POD exterior and softens the surrounding sound environment.



OTHER AVAILABLE ADD-ON FEATURES

Height adjustable stool
Clothing hook
Eletronical lock system
Booking system
Smart glass
Screen holder
USB charger
Extra power sockets
AV systems (web camera, microphone)




All our materials comply with M1 emission classification or similar.

SURFACE FINISHES FOR POD ROOMS

STANDARD PRICE, CATEGORY 1

Melamine color options



White



Dark grey

PRICE CATEGORY 2

Veneer material options



Pine




American oak



Black oak

SURFACE FINISHES FOR DOOR & DOOR SIDE PANELS

STANDARD PRICE, CATEGORY 1



White

PRICE CATEGORY 2



Clear glass 10 mm

comes with white door panels

PRICE CATEGORY 3



American oak

CARPETS FOR POD ROOMS: EX-DONO QUARTET FROM FLETCO | STANDARD PRICE, CATEGORY 1

Composition: Polyester non woven
Static electrical propensity: Antistatic
Impact sound reduction: 25 dB
Classification for use: Commercial / heavy use
Fire resistant: Yes



393300



393340



393350



393120



393260



393450



393550



393660



393750



393850

Ask for more colors: sales@intoconcept.com

All our materials comply with M1 emission classification or similar.

CEILING AND WALL ACOUSTIC PANEL FABRIC: HUSH FROM GABRIEL | STANDARD PRICE, CATEGORY 1

Composition: 80 % Polyester, 20 % Viscose
Lightfastness: 5-7
Rubbing fastness: 4/5 wet, 4-5/dry
Sustainability: Complies with STANDARD 100 by OEKO-TEX
Meet Möbelfakta requirements
Cleaning: regular vacuum cleaning
Fire resistant: Yes (S 476 Part 7, class 1 ÖNORM B 3825-B1-3800-Q1 UK)



Ask for more colors: sales@intoconcept.com