



SOCRATE PARETE

Dimensions of the SOCRATE PARETE system

Depths: 35 cm


Heights of the uprights: basic side uprights 62 - 100 cm


Length: First unitL=100 o 60 cm


Following units L=95,5 e 56,5 cm


Upright Color : Metallic grey or mat white

Steel shelf supports Color: Metallic grey or mat white









SOCRATE PARETE Technical features

Ë 62 100 cm 2400-XX 2402-XX

XX=Color option: GM = Metal Grey BO = Matt White

Uprights:

Materials: - powder-coated steel rods and joints

- high-tech polymer joint covers

Colors: metal grey or matt white

Assembly: upright fixed to the wall through the steel joint

uprights consist of six vertical Ø7 mm steel rods lined up at Featurers:


the front, three in the front and three in the back, linked together by a central row of Ø6 mm horizontal rods

allowing to hook the shelf supports every 9,5 cm

Superposable uprights Notes:

Maximum capacity 50 Kg

2420-XX



XX=Color option: GM = Metal Grey BO = Matt White

Shelf supports:

Dimensions: D 33,5 cm

Materials: powder-coated steel rods Colors: metal grey or matt white


Assembly: fastens directly onto the rods of the uprights

consist of three Ø 7 mm shaped rods and two Ø 6 mm Featurers:

horizontal ones linked together

article numbers refer to the pair Notes:

2429-XX



XX=Color option: GM = Metal Grey BO = Matt White

Inclined shelf supports:

Dimensions: H 33,5 cm


Materials: Ø 6 mm steel rods bent in a shape to keep the shelf 65°

inclined, powder-coated

Colors: metal grey or matt white

Assembly: fastens directly onto the rods of the uprights

Notes: article numbers refer to the pair



XX=Color option: GM = Metal Grev BO = Matt White

Closings supports:

Dimensions: H 38 x D 33,5 cm

Materials: powder-coated steel rods Colors: metal grey or matt white

Featurers: consist of three Ø7 mm steel rods lined up at the front


> and three with the same features at the back, linked together by a double row of Ø6 mm horizontal rods

Assembly: fastens directly onto the rods of the uprights

Notes: allow to hook a max. of 3 shelves with 19 cm gauge and

the assembling of sliding doors

3910-XX 3960-XX



XX=Color option: GM = Metal Grev BO = Matt White

Inclined display shelves

Dimensions: _L96 x D31,5 cm (cod.3910-XX)

L56 x D31,5 cm (cod.3960-XX)

powder-coated micro-perforated steel sheet, folded Materials:


for added stiffness on the front and rear edges, with

rounded edges, 22 mm thick and folded front edge, H 4 cm

Colors: metal grey or matt white

Assembly: fasten directly onto the supports code 2429 SOCRATE PARETE Technical features

3010-XX 3060-XX



XX=Color option: GM = Metal Grey BO = Matt White

Micro-perforated steel sheet shelves:

Dimensions: L96 x D33,5 cm (cod.3010-XX)

L56 x D33,5 cm (cod.3060-XX)

powder-coated micro-perforated steel sheet, with folded Materials:

edge for added stiffness on the front and rear edges,


rounded 22,5 mm edges

Colors: metal grey or matt white

Assembly: fasten directly onto the supports code 2420 (for code 3010,

3060) and code 2430 (for code 3010)

3012-XX 3062-XX



XX=Color option: GM = Metal Grey BO = Matt White

Steel sheet shelves:

_L96 x D33,5 cm (cod.3012-XX) Dimensions:

L56 x D33,5 cm (cod.3062-XX)

Materials powder-coated steel sheet, with folded edge for

added stiffness on the front and rear edges, rounded

22,5 mm edges

Colors: metal grey or matt white

Assembly: fasten directly onto the supports code 2420 (for code 3012,

3062) and code 2430 (for code 3012)

3014-XX 3064-XX



Transparent glass shelves:

Dimensions: L96 x D33,5 cm (cod.3014-XX)

L56 x D33,5 cm (cod.3064-XX)

- shelf in tempered float glass, 8 mm thick Materials:

- shelf brackets in grey or white high-tech polymer

fasten directly onto the supports code 2420 (for code 3014, Assembly:

3064) and code 2430 (for code 3014)

XX=variante colore:

GR = Grey BO = White

2678-XXXX

Steel sheet sliding closings with lock:

Dimensions: L96 x H36 cm

Materials:

_- sliding closings in 1 mm powder-coated steel sheet, with 2 Ø25 mm holes at each side for moving the closing.

Nickel-plated lock.

Master key

- slides in 1 mm powder-coated steel sheet, interior in

high-tech polymer

Colors:

- metal grey or matt white closings

- metal grey or matt white slides

fasten directly onto the supports code 2430 with screws. Assembly:

Closings fit into the slides

to be used only with steel shelves Notes:

XXXX=Color option:

GMGM = Metal Grey closings, Metal Grey slides


GMBO = Metal Grey closings, Matt White slides

BOGM = Matt White closings, Metal Grey slides

BOBO = Matt White closings, Matt White slides

SOCRATE PARETE Technical features

2660-XXXX



Steel sheet sliding closings:

Dimensions: L96 x H36 cm

Materials: ___- sliding closings in 1 mm powder-coated steel sheet, with 2 Ø25 mm holes at each side for moving the closing

- slides in 1 mm powder-coated steel sheet, interior in

high-tech polymer

- metal grey, matt white, red, yellow, orange or turquoise

closings

- metal grey or matt white slides

fasten directly onto the supports code 2430 with screws. Assembly:

Closings fit into the slides

to be used only with steel shelves Notes:

XXXX=Color option:


GMGM = Metal Grey closings, Metal Grey slides GMBO = Metal Grey closings, Matt White slides BOGM = Matt White closings, Metal Grey slides BOBO = Matt White closings, Matt White slides

XXXX=Color option:

RGM = Red closings (RAL 3002), Metal Grey slides RBO = Red closings (RAL 3002), Matt White slides

TUGM = Turquoise closings (RAL 5018), Metal Grey slides TUBO = Turquoise closings (RAL 5018), Matt White slides

2660-LXX



Sliding closings in wood finish:

Dimensions: L96 x H36 cm

Materials: - sliding closings in aluminum plated MDF that are wood

veneered, with 2 Ø25 mm holes at each side for moving

the closing

- slides in 1 mm powder-coated steel sheet, interior in

high-tech polymer

- closings in oak veneered on one side and walnut veneered

on other side

- metal grey or matt white slides


to be used only with steel shelves

fasten directly onto the supports code 2430 with screws. Assembly:

Closings fit into the slides

Notes: XXXX=Color option: LGM = Oak veneered / Walnut veneered closings, Metal Grey slides

LBO = Oak veneered / Walnut veneered closings, Matt White slides



XX=Color option:

GM = Metal Grey

BO = Matt White

Screen-printed transparent glass sliding closings:

Dimensions: L96 x H36 cm

Materials: - sliding closings in tempered 5 mm screen-printed float

glass, with 2 Ø25 mm holes at each side for moving the

- slides in 1 mm powder-coated steel sheet, interior in

high-tech polymer

Colors: _- transparent closings screen-printed in white

- metal grey or matt white slides

Assembly: fasten directly onto the supports code 2430 with screws.


Closings fit into the slides

Notes: - to be used only with steel shelves

- Design Frida Doveil

SOCRATE PARETE Technical features

2675-XX



XX=Color option: GM = Metal Grey BO = Matt White

Transparent glass sliding closings with lock:

Dimensions: L96 x H36 cm

<u>Materials:</u> - sliding closings in tempered 5 mm float glass, with 2

Ø25 mm holes at each side for moving the closing. Nickel-

plated metal lock.

Master key

- slides in 1 mm powder-coated steel sheet, interior in

high-tech polymer

<u>Colors:</u> - transparent closings


- metal grey or matt white slides

Assembly: fasten directly onto the supports code 2430 with screws.

Closings fit into the slides

Notes: to be used only with steel shelves

2664-XX



XX=Color option: GM = Metal Grey BO = Matt White

Transparent glass sliding closings:

<u>Dimensions:</u> L96 x H36 cm (cod.2664-XX)

<u>Materials:</u> - sliding closings in tempered 5 mm float glass,

with 2 Ø25 mm holes at each side for moving the closing

- slides in 1 mm powder-coated steel sheet, interior in

high-tech polymer

Colors: - transparent closings


- metal grey or matt white slides

Assembly: fasten directly onto the supports code 2430 with screws.

Closings fit into the slides

Notes: to be used only with steel shelves

2667-XX



XX=Color option: GM = Metal Grey BO = Matt White

Satin glass sliding closings:

<u>Dimensions:</u> L96 x H36 cm (cod.2667-XX)

Materials: - sliding closings in acid treated tempered 5 mm float glass,

with 2 Ø25 mm holes at each side for moving the closing

- slides in 1 mm powder-coated steel sheet, interior in

high-tech polymer

Colors: - Acid-treated closings

- metal grey or matt white slides

Assembly: fasten directly onto the supports code 2430 with screws.

Closings fit into the slides

Notes: _____to be used only with steel shelves

2659



Locks for glass closings:

<u>Materials:</u> steel

<u>Colors:</u> chrome-plated

Assembly: fastens to sliding glass closings

Notes: 2 keys provided standard

To use only with transparent sliding glass closings

(art. 2664/2666)



SOCRATE PARETE Technical features

2625-XX

XX=Color option: GM = Metal Grey BO = Matt White Exterior closings in steel sheet:

<u>Dimensions:</u> L33 x H38 cm

Materials: 1 mm powder-coated steel sheet, folded edges

Colors: metal grey or matt white

Assembly: fasten directly onto the horizontal rods of the

supports code 2430

Notes: article numbers refer to the pair

Use only on end uprights (outer)

6A52

Use only with shelves: 3010/3060/3012/3062/3910/3960

Shelf marker:

<u>Dimensions:</u> L12 x H2,3 cm


Materials: transparent polymer

Assembly: directly to the edge of the steel shelf with a double

sided tape

Notes: ___code refers to 10 pieces

2812-XX



XX=Color option: GM = Metal Grey BO = Matt White Clothes rack:

Dimensions: L 96 x D33,5 cm

Materials: - chrome-plated Ø20 mm tubular steel

- side brackets in 1 mm powder-coated steel sheet in

metal grey or matt white

Assembly: fasten directly onto the supports code 2420 with M8 screws

SOCRATE PARETE Technical features



ST.118/5ENG

CAIMI BREVETTI S.p.A. - Via Brodolini, 25/27 - 20834 Nova Milanese - MB - Italy - tel. 0362 49101 Ufficio Vendite Italia: tel. 0362 491001 - fax 0362 491060 - e-mail: vendite.italia@caimi.com

Export Department: tel. (+39) 0362 491002 - fax (+39) 0362 491061 - e-mail: export.dept@caimi.com

www.caimi.com

Caimi Brevetti S.p.A. reserves, by its unappealable judgment, the right to modify without prior notice the building materials, the technical and aesthetic specifications, as well as the dimensions of the products in this technical sheet, where pictures and Colors are purely as an indication.

