

Stability console - varnished Minerals - Umber 170/40/75

25943

Description

Relying on some of the oldest artistic ancestral techniques, the deep surface of the Stability console is shaped by hand by our skilled artisans. Natural mineral powders and colour pigments blend to form the console's unique finish. The thickness of the top makes for a revealing contrast with the airy base. Simple lines and a standardised height showcase the clean beauty of well-crafted metal work.



Collection	Stability
Category	Occasional Tables / Consoles
Environment	Indoor
Intrastat code	9403208000
Main material	Minerals

About Ethnicraft

Authentic craftsmanship is a cornerstone of who we are and what we do at Ethnicraft. Originating with a specialty in solid wood furniture, we are passionate about connecting the dots between great design and artisan skill using warm and natural materials.

[Assembly Instructions](#)

[Care Instruction - Minerals, Microcement & Metal](#)

[Line Drawing](#)

Finishing

Top Panel	
Type	Water-based varnish
Color	Minerals Umber
Swatch	MAR-106206
Frame	
Type	Powder coating
Color	Metal Bronze

Dimensions

General Dimensions	
Width (cm)	170
Depth (cm)	40
Height (cm)	75
Net weight (kg)	47.8




Stability console - varnished Minerals - Umber 170/40/75

25943

Packaging

Packaging General	Packaging Material Details				
Packaging with outer crate	Material	Weight (gram)	Percentage	Recycled	Recyclable
Packaging with inner pallet	PE	96	1%	No	Yes
Carton box density (burst strength)	LDPE	24	Less than 1%	No	Yes
	CARTON/PAPER	6,880	99%	No	Yes

Packaging Details



Pack length (cm)	173	Vol (m3)	0.580242
Pack width (cm)	43	GW (kg)	54.8
Pack thickness (cm)	78	EAN	5404023614650

Stability console - varnished Minerals - Umber 170/40/75

25943

Test, Label and Certificates

Strength, Durability, and Stability

Are tested according to

- Powder Coating Qualicoat Class 1 - Superior resistance to weathering, corrosion, and color fading.
- ANSI/BIFMA inhouse tested
- ISTA 3A inhouse tested

Safety and Health Regulation

Hardwood plywood

- CARB Phase 2, TSCA VI

Powder coating

- DIN 10955, EN 13130-1, ISO 17294
- ROHS

Water-based varnish

- PFAS Free
- Prop 65 Compliant
- REACH SVHC
- ROHS
- UNI EN 1504-2:2005
- Low VOC
- UNI 11021-2002

Stability console - varnished Minerals - Umber 170/40/75

25943

Hardware

Attribute	Value
Floor protector	Yes
Floor protector material	Nylon or plastic glides

Dimensions

Attribute	Value
Top panel thickness	4 cm
Free height under furniture	69.5 cm

Functionality

Attribute	Value
Max. load furniture	68 kg

Other

Attribute	Value
Construction	No assembly required
Uniqueness	Due to the hand-created nature of our products, each item will vary slightly. We consider this as a sign of uniqueness.