

# **UPHOLSTERY SELECTION**

OUR UPHOLSTERY SELECTION CONSISTS OF TEXTILES AND LEATHERS AVAILABLE WITHIN SIX DIFFERENT PRICE GROUPS. THE SELECTION COVERS MORE THAN 300 FABRIC AND LEATHER OPTIONS FROM HIGH-QUALITY TEXTILE AND LEATHER MANUFACTURER BRANDS.

CUSTOM UPHOLSTERY ORDERS ARE READY TO SHIP WITH STANDARD LEAD TIME. IT IS POSSIBLE TO USE CUSTOMER'S OWN MATERIALS (COM) WITH EXTENDED LEAD TIME UPON FABRIC APPROVAL. COM-PRICES ARE BASED ON PRICE GROUP 1.

PLEASE NOTE THAT THE COLOUR REFERENCES IN THIS CATALOGUE ARE ONLY INTENDED AS A GUIDE. FOR FURTHER INFORMATION AND CARE INSTRUCTION, PLEASE SEE MANUFACTURER WEBSITES. READ MORE ABOUT OUR UPHOLSTERIES AT WOUD.DK/FABRIC-COLLECTION/

STANDARD LEAD TIME 6-8 WEEKS
COM-ORDERS AVAILABLE UPON REQUEST
FIRE RETARDENT FOAM AVAILABLE UPON REQUEST (STANDARD FOR UNITED KINGDOM)

PRICE GROUP 1 SORRENTO\* ONTARIO\* ALPINE \*

PRICE GROUP 2 STEP MELANGE CURA

PRICE GROUP 3
REMIX 3
GAJA C2C
SELECT

PRICE GROUP 4
STEELCUT TRIO 3
HARALD 3
VIDAR 3
FIORD 2
ICON

PRICE GROUP 5
SILK
TUNDRA

FOLLOWING PAGES FEATURE OUR UPHOLSTERY OPTIONS AND SPECIFICATIONS AVAILABLE FOR NAKKI



# **UPHOLSTERY SELECTION OVERVIEW**

OUR UPHOLSTERY SELECTION FOR NAKKI CONSISTS OF FIVE DIFFERENT PRICE GROUPS:

PRICE GROUP 2

PRICE GROUP 3

PRICE GROUP 4

PRICE GROUP 5

#### PRICE GROUP 1



SYMPHONY MILLS | SORRENTO \*

AVAILABLE IN EIGHT SELECTED COLOURS

> COMPOSITION 92% PE, 8% PA

DURABILITY 45.000 MARTINDALE



DAVIS | ONTARIO \*

AVAILABLE IN FOUR

COMPOSITION 100% POL

DURABILITY



TEXTAAFOAM | ALPINE \*

AVAILABLE IN SIX

COMPOSITION 96% PES, 4% PAC

DURABILITY 75.00 MARTINDALE

### PRICE GROUP 2



GABRIEL | CURA

AVAILABLE IN ALL COLOURS

COMPOSITION 98% POST-CONSUMER RECYCLED POLYESTER / 2% POLYESTER

> DURABILITY 100.000 MARTINDALE



GABRIEL | STEP MELANGE

AVAILABLE IN ALL COLOURS

COMPOSITION 100% TREVIRA CS

> DURABILITY 100.000 MARTINDALE

## PRICE GROUP 3



KVADRAT | REMIX 3

AVAILABLE IN ALL COLOURS

COMPOSITION 90% NEW WOOL (WORSTED) 10% NYLON

> DURABILITY 100.000 MARTINDALE



GABRIEL | GAJA C2C

AVAILABLE IN ALL COLOURS

COMPOSITION 100% NEW ZEALAND WOOL

> DURABILITY 50.000 MARTINDALE



GABRIEL | SELECT

AVAILABLE IN ALL COLOURS

COMPOSITION 85% NEW ZEALAND WOOL 15% POLYAMIDE

> DURABILITY 100.000 MARTINDALE

> > \*A SELECTED RANGE OF UPHOLSTERY OPTIONS

#### PRICE GROUP 4









KVADRAT | STEELCUT TRIO 3

AVAILABLE IN ALL COLOURS

COMPOSITION 90% NEW WOOL (WORSTED) 10% NYLON

DURABILITY 100.000 MARTINDALE

KVADRAT | HARALD 3 AVAILABLE IN ALL COLOURS

COMPOSITION 100% COTTON

DURABILITY 100.000 MARTINDALE

KVADRAT | VIDAR 4

AVAILABLE IN ALL COLOURS

COMPOSITION 94% NEW WOOL 6% NYLON

DURABILITY 100.000 MARTINDALE



KVADRAT | FIORD 2 AVAILABLE IN ALL COLOURS

COMPOSITION 92% NEW WOOL (WORSTED)

DURABILITY 60.000 MARTINDALE



NEVOTEX | ICON

AVAILABLE IN ALL COLOURS

COMPOSITION 100% POLYESTER

DURABILITY 100.000 MARTINDALE

## PRICE GROUP 5



CA-MO | SILK

AVAILABLE IN ALL COLOURS

TYPE ANILINE LEATHER

RAW MATERIAL EUROPEAN RAWHIDES




CA-MO | TUNDRA

AVAILABLE IN ALL COLOURS

TYPE ANILINE LEATHER

RAW MATERIAL AUSTRALIAN RAWHIDES





# **SORRENTO**

### COMPOSITION

92% PE, 8% PA

### MARTINDALE

45.000

### PILLING

4/5

## CARE INSTRUCTIONS







#### FIRE RETARDENT

CAL 117 (CALIFORNIA BULLETIN 117-2013): STANDARD INHERENT BS5852 SOURCE 0.1 (CIGARETTE AND MATCH): TREATMENT OPTION EN1021 PART 1.2 (CIGARETTE AND MATCH): TREATMENT OPTION

#### SEAM SLIPPAGE

WARP AND WEFT

#### COLOUR FASTNESS

LIGHT: 4 RUBBING (DRY): 4 RUBBING (WET): 4/5

### WIDTH AND WEIGHT

142 CM 230 GR/M<sup>2</sup>

## SELECTED UPHOLSTERY OPTIONS

PLEASE NOTE THAT THE COLOUR REFERENCES ARE ONLY INTENDED AS A GUIDE

















### DAVIS

# **ONTARIO**

### COMPOSITION

100% PES

### MARTINDALE

100.000

### PILLING

## CARE INSTRUCTIONS



#### FIRE RETARDENT

PASSED - NO BURNING IDENTIFIED

### COLOUR FASTNESS TO LIGHT

#### RUBBING

RUBBING (SOLVENTS): 4-5 RUBBING (FASTNESS IN HUMID STATE): 4-5

### WIDTH AND WEIGHT

MIN. 140 CM 270 G/M<sup>2</sup>

## SELECTED UPHOLSTERY OPTIONS

PLEASE NOTE THAT THE COLOUR REFERENCES ARE ONLY INTENDED AS A GUIDE









## TEXTAAFOAM

# **ALPINE**

## COMPOSITION

96% PES, 4% PAC

## MARTINDALE

75.000

## PILLING

4

# CARE INSTRUCTIONS



### TENSILE STRENGTH

WARP: 1514 WEFT: 717

## TEAR GROWTH RESISTANCE

WARP: 136,9 WEFT: 176,3

## SEAM SLIPPAGE

WARP: 2.0 WEFT: 2.0

## WIDTH AND WEIGHT

+/- 143 CM +/- 680 G/M

## SELECTED UPHOLSTERY OPTIONS

PLEASE NOTE THAT THE COLOUR REFERENCES ARE ONLY INTENDED AS A GUIDE



IVORY 101



NATURAL 01



DA



ONYX 169



STEEL 149





UPHOLSTERY
GABRIEL STEP MELANGE, 68161



## GABRIEL

# **CURA**

### COMPOSITION

98% POST-CONSUMER RECYCLED POLYESTER / 2% POLYESTER

### MARTINDALE

100.000

## PILLING

4-5

## CARE INSTRUCTIONS



## LIGHTFASTNESS

5-8

### FLAMMABILITY

CONTAINS NO FLAME RETARDANT CHEMICALS

## FASTNESS TO RUBBING

4-5

#### WIDTH AND WEIGHT

140 CM 420 G/LM

## ALL UPHOLSTERY OPTIONS AVAILABLE

SEE THE FULL RANGE OF COLOURS RIGHT HERE



### GABRIEL

# **STEP MELANGE**

## COMPOSITION

100% TREVIRA CS

## MARTINDALE

100.000

### PILLING

4-5

## CARE INSTRUCTIONS



## LIGHT FASTNESS

5-7

### FLAMMABILITY

PASSED TESTS

## FASTNESS TO RUBBING


4-5

#### WIDTH AND WEIGHT


140 CM

470 G/LM

## ALL UPHOLSTERY COLOURS AVAILABLE







PRICE GROUP 3

### GABRIEL

# **GAJA C2C**

COMPOSITION

100% NEW ZEALAND WOOL

MARTINDALE

50.000

PILLING

4-5

CARE INSTRUCTIONS



LIGHT FASTNESS

5-7

CERTIFIED

CRADLE TO CRADLE CERTIFIED SILVER

**FASTNESS TO RUBBING** 

4-5


WIDTH AND WEIGHT

140 CM

530 G/LM

## ALL UPHOLSTERY COLOURS AVAILABLE

SEE THE FULL RANGE OF COLOURS RIGHT HERE



### GABRIEL

# **SELECT**

### COMPOSITION

85% NEW ZEALAND WOOL / 15% POLYAMIDE

### MARTINDALE

100.000

### PILLING

1

## CARE INSTRUCTIONS



## LIGHT FASTNESS

5-8

### CERTIFIED

**EU ECOLABEL AND STANDARD 100 OEKO-TEX** 

## FASTNESS TO RUBBING


4-5

#### WIDTH AND WEIGHT

140 CM

510 G/LM

## ALL UPHOLSTERY COLOURS AVAILABLE



## KVADRAT

# REMIX 3

### COMPOSITION

90% NEW WOOL / 10% NYLON

## MARTINDALE

100.000

## PILLING

4

## CARE INSTRUCTIONS



## LIGHTFASTNESS

6

## SUSTAINABILITY

EU ECOLABEL

## MANUFACTURED IN

GREAT BRITAIN

### WIDTH AND WEIGHT

140 CM 420 G/LM

## ALL UPHOLSTERY COLOURS AVAILABLE







## NEVOTEX

# **ICON**

## COMPOSITION

100% POLYESTER

## MARTINDALE

100.000

# PILLING

4-5

# CARE INSTRUCTIONS



# LIGHTFASTNESS

5-6

# RUBBING FASTNESS

4-5

## WEIGHT

314 G/M<sup>2</sup>

## WIDTH AND WEIGHT

140 cm

## ALL UPHOLSTERY COLOURS AVAILABLE



### **KVADRAT**

# HARALD 3

### COMPOSITION

100% COTTON

### MARTINDALE

100.000

## PILLING

4-5

## CARE INSTRUCTIONS



## LIGHTFASTNESS

5

### SUSTAINABILITY

NATURAL FIBERS (SUSTAINABLE RESSOURCE)

### MANUFACTURED IN

ITALY

#### WIDTH AND WEIGHT

140 CM 520 G/LM

## ALL UPHOLSTERY COLOURS AVAILABLE

SEE THE FULL RANGE OF COLOURS RIGHT HERE



### KVADRAT

# **STEELCUT TRIO 3**

### COMPOSITION

90% NEW WOOL (WORSTED) / 10% NYLON

### MARTINDALE

100.000

### PILLING

4

## CARE INSTRUCTIONS



### LIGHT FASTNESS

5

## SUSTAINABILITY

EU ECOLABEL

## MANUFACTURED IN

GREAT BRITAIN

#### WIDTH AND WEIGHT

140 CM

770 G/LM

## ALL UPHOLSTERY COLOURS AVAILABLE



# FIORD 2

COMPOSITION

**KVADRAT** 

92% NEW WOOL (WORSTED) / 8% NYLON

MARTINDALE

60.000

PILLING

4-5

CARE INSTRUCTIONS



LIGHTFASTNESS

6

SUSTAINABILITY

EU ECOLABEL

MANUFACTURED IN

NORWAY

WIDTH AND WEIGHT

140 CM 500 G/LM

## ALL UPHOLSTERY COLOURS AVAILABLE

SEE THE FULL RANGE OF COLOURS  ${\underline{\textbf{RIGHT HERE}}}$ 



### KVADRAT

# VIDAR 3

### COMPOSITION

94% NEW WOOL (WORSTED) / 6% NYLON

PRICE GROUP 4

### MARTINDALE

100.000

### PILLING

1

## CARE INSTRUCTIONS



### LIGHT FASTNESS

5-6

## SUSTAINABILITY

EU ECOLABEL

## MANUFACTURED IN

NORWAY

#### WIDTH AND WEIGHT

140 CM

765 G/LM

## ALL UPHOLSTERY COLOURS AVAILABLE







UPHOLSTERY CAMO LEATHER, SILK (COGNAC)



CA-MO

# SILK

RAW MATERIAL

EUROPEAN RAWHIDES

TANNING

CHROME TANNED

RUBBING FASTNESS

4

FLEXING ENDURANCE

30.000

TEARING STRENGTH

20 N/MM

ADHESION OF FINISH

3,50 N/CM

LIGHT FASTNESS

5-6

AVERAGE SIZE

4,5 - 5 M<sup>2</sup>

THICKNESS

1 - 1,2 MM

## ALL UPHOLSTERY COLOURS AVAILABLE



## CA-MO

# **TUNDRA**

RAW MATERIAL
AUSTRALIAN RAWHIDES

TANNING CHROME TANNED

RUBBING FASTNESS

TEARING STRENGTH MIN. 20 N/MM

FLAME RESISTANCE UNI EN ISO 1021 - 1/2

BS 5852 1991 SEC. 4 NI/0-1 TB 117 CALIFORNIA

LIGHT FASTNESS 1-3

AVERAGE SIZE

4,5 M<sup>2</sup>

THICKNESS 1,2 - 1,4 MM

## ALL UPHOLSTERY COLOURS AVAILABLE



